

# *Health Products and Food Branch*

Your Health and Safety - Our Priority

## Experience with eCTD format - Validation Issues and Errors

Presentation to CAPRA  
Lili Hajiesmaili

February 21-22, 2006

Toronto

The logo for e-Review, featuring a stylized '@' symbol in orange and yellow, followed by the word 'Review' in a bold, sans-serif font.



# eCTD Validation Issues and Errors

Some Statistics (Co-submission Filing Format, Sept 2004 – Feb 3<sup>rd</sup> 2006):

- Total number of Submissions received: 28
- Total number of Sequences received: 66
- Number of Sequences received per Submission: Max. 5
- Total number of Sequences passed IT Validation: 45
- Total number of Sequences failed: 21

Pass rate: 68%

Fail rate: 32%

# Different Categories of Issues

- Module 1-Related: 39%
- ICH Specification Compliancy: 37%
- Life Cycle-Related: 2%
- Defective Media (CD / DVD): 7%
- Viewing Tool Limitations: 15%




# Module 1-Related Issues

- HC-3011 form naming convention  
Correct: hc-sc-3011-en.pdf      Incorrect: 1-2-1-drug-submission-app.pdf  
or 3011.pdf
- Invalid HC-3011 form operation attribute. It should always be “new”, unless the sponsor is asked to correct an error and resubmit, in that case, the attribute should be “replace”. The replacement would be submitted under a new sequence number.
- Empty Related-sequence-number when submitting response to a Clarifax, a Deficiency Notice, etc. (it should point to the correct parent submission sequence number)
- Sequence numbers not incremental  
Incorrect: 0003 submitted after 0004 was submitted and accepted



# Life Cycle-Related Issues

Multiple replaces to the same leaf document:



# Defective Media Issues

Not readable media:

- Broken CD's on arrival
- Unloadable DVD-RAM



# Viewing Tool Limitation Issues

- Backbone loading failure in the viewing tool due to a large number of leafs (over 10,000) under one heading element in the backbone (index.xml)
- Backbone loading failure in the viewing tool due to a mixed order of leafs and node-extensions:
  - Unloadable order: <leaf > <node-extension> <leaf> <node-extension>
  - Loadable order: <leaf> <leaf> <node-extension> <node-extension>

# eCTD Validation Issues and Errors

## Recommendations:

### ➤ Prepare Well:

- Review Health Canada Guidances and Q&A
- Refer to ICH Specification and Q&A

### ➤ Follow the Process:

- Notify Health Canada when intend to submit in eCTD format
- Request for technical pre-submission meeting
- Submit sample eCTD first

### ➤ Conduct Quality Control:

- Apply satisfactory quality control when building eCTD submissions

## For more information, please visit:

- Health Canada Website  
[www.hc-sc.gc.ca](http://www.hc-sc.gc.ca)
- Therapeutic Products Division  
[http://www.hc-sc.gc.ca/hpfb-dgpsa/tpd-dpt/index\\_e.html](http://www.hc-sc.gc.ca/hpfb-dgpsa/tpd-dpt/index_e.html)
- Biologics and Genetic Therapies Directorate  
[http://www.hc-sc.gc.ca/hpfb-dgpsa/bgtd-dpbtg/index\\_e.html](http://www.hc-sc.gc.ca/hpfb-dgpsa/bgtd-dpbtg/index_e.html)
- Veterinary Drugs Directorate  
[http://www.hc-sc.gc.ca/vetdrugs-medsvet/index\\_e.html](http://www.hc-sc.gc.ca/vetdrugs-medsvet/index_e.html)
- Natural Health Products Directorate  
[http://www.hc-sc.gc.ca/hpfb-dgpsa/nhpd-dpsn/index\\_e.html](http://www.hc-sc.gc.ca/hpfb-dgpsa/nhpd-dpsn/index_e.html)
- E-Review Website  
[http://www.hc-sc.gc.ca/hpfb-dgpsa/er-ee/index\\_e.html](http://www.hc-sc.gc.ca/hpfb-dgpsa/er-ee/index_e.html)
- Questions about E-Review?  
[ereview@hc-sc.gc.ca](mailto:ereview@hc-sc.gc.ca)

Questions ?